

Certificate of Analysis



Customer Information

Client: Happy Go Leafy, LLC
Attention: Hello@behappygoleafy.com
Address: 7901 4th St N, STE 300
 St. Petersburg, FL 33702

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: Kratom Powder
Lot Number: 0002711
Description: Finely ground plant material
Condition: Good
Job ID: ISO01325
Sample ID: I02035
Received: 14JUL2023
Completed: 19JUL2023
Issued: 20JUL2023

Test Results

Mitragyna Alkaloids Assay (UHPLC-DAD)

Method Code: T102

Tested: 18JUL2023 | 0942

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.32	w/w%	0.023	N/A
7-Hydroxymitragynine	Report Results	<LOQ	w/w%	0.023	N/A
Paynantheine	Report Results	0.255	w/w%	0.023	N/A
Speciogynine	Report Results	0.209	w/w%	0.023	N/A
Speciociliatine	Report Results	0.459	w/w%	0.023	N/A
Total Mitragyna Alkaloids	Report Results	2.25	w/w%	0.023	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 19JUL2023 | 2116

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.0	0.082	ug/g	0.043	PASS
Cadmium	NMT 0.4	<LOQ	ug/g	0.0086	PASS
Lead	NMT 1.25	0.57	ug/g	0.0086	PASS
Mercury	NMT 0.2	0.021	ug/g	0.0086	PASS

Microbiological Examination

Method Code: T005

Tested: 17JUL2023 | 1130

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU/gram	12,100	CFU/gram	20 CFU/gram	PASS
Total Yeast & Mold	100,000 CFU/gram	60	CFU/gram	20 CFU/gram	PASS
Total Coliforms	10,000 CFU/gram	Not Detected	CFU/gram	20 CFU/gram	PASS
Escherichia coli	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
Salmonella	Not Detected in 25 grams	Not Detected	N/A	1 CFU/25 grams	PASS

Additional Report Notes

N/A

Revision History

rev 00 - initial release


Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

20JUL2023

HAPPY
GOLEAFY

